

**Espacenet****Bibliographic data: KR20130083311 (A) — 2013-07-22**

METHOD OF TRANSGENIC BOVINE CLONED EMBRYOS USING PIGGYBAC TRANSPOSITION

Inventor(s): LEE BYEONG CHUN [KR]; JANG GOO [KR]; KIM SU JIN [KR]; ISLAM M SAADELDIN [EG]; LEE SONG JEON [KR]; LEE WON WU [KR]; KIM BONG HAN [KR]; CHOI WOO JAE [KR] ± (LEE, BYEONG CHUN, ; JANG, GOO, ; KIM, SU JIN, ; ISLAM M. SAADELDIN, ; LEE, SONG JEON, ; LEE, WON WU, ; KIM, BONG HAN, ; CHOI, WOO JAE)

Applicant(s): SNU R&DB FOUNDATION [KR] ± (SNU R&DB FOUNDATION)

Classification: - international: **C12N15/85; C12N5/073; C12N5/10**
- cooperative:

Application number: KR20120004022 20120112

Priority number(s): KR20120004022 20120112

Abstract of KR20130083311 (A)

PURPOSE: A method for preparing a transformed bovine embryo using piggybac transposition is provided to uniformly express target genes in all embryos and to stably prepare transformed bovine embryos, thereby studying various embryo-related fields.

CONSTITUTION: A transformed bovine embryo is prepared using piggybac transposition. The piggybac transposition is formed using vectors. The piggybac transposition is formed using a primer of sequence number 1 or 2. An embryo is prepared through somatic cell nuclear transfer (SCNT) using fibroblasts as a donor cell. The expression of a foreign target gene is regulated by antibiotics or uniform expression of the foreign target genes.